

Statistical Inventory Reconciliation**FOR KDHE USE ONLY:****(SIR) 90-Day Summary****Please make copies of this completed form for your records.****Note: Please attach one SIR report to form.**

Submit to: **Kansas Department of Health and Environment**
Bureau of Environmental Remediation -
Storage Tank Section
1000 S.W. Jackson, Suite 410
Topeka KS 66612-1367

Monthly Monitoring	_____yes_____no
Inventory Control	_____yes_____no
Leak Check	_____yes_____no
Water Check	_____yes_____no
Signed	
Date	

*Please Print Clearly or Type***I. Facility Information**

A. Facility Name: _____

B. Facility Address: _____
(street) (city) (state) (zip)

C. Contact Person: _____ Phone: (____)____-_____

II. Owner Information

A. Owner Name: _____

B. Owner Address: _____
(street) (city) (state) (zip)

C. Contact Person: _____ Phone: (____)____-_____

III. Statistical Inventory Reconciliation Information

A. SIR Vendor Name: _____

B. Address: _____
(street) (city) (state) (zip)

C. Contact Person: _____ Phone: (____)____-_____

D. Name of Computer Program (if known) _____

IV. Substance Stored (check one): " diesel " kerosene " gasoline (including alcohol) " used oil " other
If other, list contents of tank _____.

VI. Inventory Control. Please send copies of your Inventory Control Records for 30 days to KDHE after the first month of operation.

VII. Tank/Line System Tested (complete for each tank or line) Give total capacity of tank _____.

KDHE tank/line no.	Month:	Month:	Month:	(1) Send copies of your Inventory Control Records for 30 days to KDHE after the first month of operation. (2) Send 90-Day Summary Sheets to KDHE after the first 90 days of operation.
[one sheet per UST]	Yr:	Yr:	Yr:	
Circle One: Pass = "P" or "No Losses" Inconclusive="INCL" or "I" Operational Procedures = "OP" Fail = "F"	P or No Losses INCL or I OP F	P or No Losses INCL or I OP F	P or No Losses INCL or I OP F	

VIII. Please contact KDHE within 24 hours if your tank system has failed. Also contact KDHE if SIR reports showed that any tank failed, or showed Inconclusives, or Operational Procedures from the same tank for two months in a row. Please direct questions regarding tank tests to KDHE, Storage Tank Section, 785-296-8061.